

V-FLO®



Powder Constant Feeder

V-FLO GROUP OF COMPANIES LTD.


WWW.V-FLO.COM

Power Constant Feeder

1. Specification

Model	Consisted				Capacity (m ³ /h)
	Steady Flow Feeder	Rotor Balance	Blower	Control System	
FTD-C-10	LWJ-C-10	LZP-C-10	LSQ-C-10	PLC System	1-10
FTD-C-20	LWJ-C-20	LZP-C-20	LSQ-C-20		3-20
FTD-C-30	LWJ-C-30	LZP-C-30	LSQ-C-30		5-30
FTD-C-40	LWJ-C-40	LZP-C-40	LSQ-C-40		7-40

2. Installing Dimension



Model	D1	D2	D3	H1	H2	H3	L1
FTD-C-10	Φ760	Φ160	Φ110	2860	1070	1480	510
FTD-C-20	L2	L3	L4	L5	L6	W1	W2
FTD-C-30	300	300	1060	1150	2350	1060	1460



V-FLO GROUP OF COMPANIES LIMITED

Add: 5th Floor East, Jiahuiyuan, Huao Center, 31 Zizhuyuan Road, Haidian District, Beijing, China 100089

Tel: +86-10-51906628 (10 lines)

Fax: +86-10-88580150

E-mail: export@v-flo.com

<http://www.v-flo.com>